

ULTIMATE VERSATILITY: ONE MACHINE, INFINITE SOLUTIONS

The Ultimate Multi-Tool for Modern Construction.



6,500 lbs
Crane Capacity



30' 2" @ 440 lbs
Max. Working Radius



33' 6"
Max. Lifting Height



5,950 lbs
Vehicle Weight



Rugged



Fidd-Proven



Multi-Purpose

WHY CHOOSE GLT?

**INTEGRATED SMART LMI:
REAL-TIME STABILITY MONITORING THAT
ACTIVELY PREVENTS TIPPING.**



3-MODE SAFETY INTERLOCK (TRAVEL / OUTRIGGER / BOOM)

Prevents tipping or mechanical damage caused by misoperation.

360° CONTINUOUS ROTATION

Infinite maneuverability in confined spaces.

VALUE

Manufacturer Direct Pricing
1-Year Comprehensive Warranty
24/7 Support



REAL POWER. NO COMPROMISE.

TECHNICAL SPECIFICATIONS

GSC30-U MINI CRAWLER CRANE

DUAL POWER	DIESEL
	AC ELECTRIC
Diesel Engine	Model: 3TNV80F (YANMAR) EPA
	Starting Method: Electric Start
	Maximum Output: 20.4 HP / 2,500 RPM
	Fuel / Tank Capacity: Diesel / 5.5 gal
	Displacement: 0.875 L
	Starting Operating: -5°C~40°C
Crane Capacity	6,600 lbs
Max.Working Radius	30' 2"@ 440 lbs
Max.Lifting Height (On ground)	33' 6"
Max.Lifting Height (Un ground)	147'8"
Winch System	Hook Speed: 15.8 FPM (4-part line)
	Wire Rope: 5/16" x 147' 8" (max)
Telescopic System	Boom Type: U type automatic 5 section
	Boom Length: 9.8'~31.2'
	Telescopic Length / Speed: Approx. 19 sec (fully extended)
Boom Lift Speed	Boom Angle / Speed: 0~80° / 28 sec
Slewing System	Slewing Angle / Speed: 360° Continuous Slewing / 42 sec
Outrigger	Outrigger: Manual adjustment for the 1,2 section,automatic for the 3 section
	Maximum Extended Dimensions: 14'8" x 12'11"
Traction System	Travel Method: Hydraulic motor
	Travel Speed: 0~0.5 mph
	Gradeability: 20°
	Track Footprint(L x w): 5'3" x 9.4"
Operating System	Remote Control Type / Rang: Wireless / 328 ft
	Outriggers: Dual-Mode (Wireless & Manual)
	Travel: Dual-Mode (Wireless & Manual)
	Boom: Dual-Mode (Wireless & Manual)
Electric Motor	Voltage: Configurable to Local Standards (110V~480V)
	Power / Speed: 5.4 HP / 1.440 RPM
Dimension	L x W x H: 11' 4" x 3' 1" x 5' 7"
Vehicle Weight	5,950 lbs
Safety System	Level,Three Color Lamp,Emergency Stop Button.3-Mode Safety Interlock (Travel / Outrigger / Boom)

RATED LIFTING CAPACITIES & WORKING

