



GSC10 SERIES

MINI CRAWLER CRANE



2,205 lbs @ 4.9' Rated Capacity



16.6' × 440 lbs Max. working radius



2,844 lbs Vehicle Weight




7' 8" × 24" × 4' 10" Dimensions(LxWxH)

GSC10 SERIES

MINI CRAWLER CRANE

KEY SPECIFICATIONS



FEATURES

24" Ultra-Slim Width

Designed for standard doorway and elevator access.

Outrigger / Boom Interlock System

Precision control for outriggers and boom operations.

Over-winding Alarm System

Prevents the hook from colliding with the boom tip.

Two-Speed Hydraulic Travel System

High speed for efficient site transit; Low speed for precise positioning.



GSC10 SERIES



Honda® Gas Engine



Lifting Points




Outrigger Pad



Travel Available by
Forklift Truck

Load Chart



STANDARD FEATURES

GLASS MANIPULATOR (OPTIONAL EQUIPMENT)





GSC10 SERIES

Technical Specifications

GSC10 Spider Crane		
Crane Capacity		2,205 lbs @ 4.9'
Max.Working Radius		16.6' × 440 lbs
Max. Lifting Height (On ground)		18.4'
Max.Lifting Height (Underground)		59'
Winch System	Hook Speed	32.8 ft/min (2-part line)
	Wire Rope	5/16" × 157'
Telescopic System	Boom Type	Full automatic 4 section
	Boom Length	6' 10" – 18' 1"
Boom Lift Speed	Boom Angle / Speed	0 °~75 °/14sec
Slewing System	Slewing Angle / Speed	0 ° ~360 ° (Continuous) / 40sec
Outrigger	Outrigger Active Form	Automatic for the 1 section, manual adjustment for 2,3 section
	Maximum Extended Dimensions	10' 8" × 10' 8"
Traction System	Travel Method	Hydraulic motor
	Travel Speed	0 – 1.6 mph
	Gradability	20 °
	Track Footprint (L×W)	3' 2" × 7"
	Track Ground Pressure	5.16 psi
Diesel Engine	Model	(HONDA) GX270
	Displacement	270 ml
	Maximum Output	6.8 HP / 3600 RPM
	Starting Method	Electric starting
	Fuel/Tank Capacity	Gasoline / 1.6 gal
System Voltage	DC12 V	
Dimension	L × W × H	7' 8" × 24" × 4' 10"
Weight	Vehicle Weight	2,844 lbs
Safety System	Outrigger Automatic Detection Alarm, Level, Emergency Stop Button	

📍 5900 Balcones Drive STE 100 Austin TX,
USA 78731

☎ +1(716)547-1292

✉ info@gltlifts.com

🌐 www.gltlifts.com